



Recipe

1. place the tooth in 5% NaOCl for 12 hours to remove all organic material from the surface.
2. Place in 5% HNO₃ for 3-6days for complete decalcification, check with X-rays if desired
3. Thoroughly rinse with water
4. Dehydrate in alcohol of increasing concentration for 1 day for each concentration(70%, 85% und 99%)
5. place in methylsalicylate for several hours